

SDS – SAFETY DATA SHEET

1. IDENTIFICATION

Product Identifier: ISOFLURANE (26675-46-7)

Synonyms: None

Chemical Formula: C₃ H₂ ClF₅ O

Recommended Use of the Chemical: Inhalation anesthetic (prescription drug)

Uses Advised Against: No information available

Manufacturer / Supplier: HALOCARBON PRODUCTS CORPORATION

Address: 1100 Dittman Court, North Augusta, SC; United States

Website: www.halocarbon.com

Email: SDS@Halocarbon.com

Phone: (803)278-3504

Emergency CHEMTREC Phone: (800) 424-9300 United States / 001-703-527-3887 International and Maritime

2. HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture:

Acute toxicity, Oral (Category 5)

Acute toxicity, Dermal (Category 5)

Eye Damage / Irritation (Category 2B)

Specific target organ toxicity - single exposure (Category 3), Central nervous system

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Cardio-vascular system, Central nervous system

Risk Phrases:

R48/20: Danger of serious damage to health by prolonged exposure. Harmful by inhalation.

R36: Irritating to eyes.

R67: Vapors may cause drowsiness and dizziness.

Label Elements:

Signal Word: Warning



Hazard Statements:

H303: May be harmful if swallowed.

H313: May be harmful in contact with skin.

H320: Causes eye irritation.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs (Cardio-vascular system, Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary Statements:

P261: Avoid breathing vapors.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352: IF ON SKIN: Wash with soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

3. COMPOSITION INFORMATION / INGREDIENTS

Ingredient	CAS Number	EC Number	Percent
Isoflurane	26675-46-7	247-897-7	100%

4. FIRST-AID MEASURES

Show this safety data sheet to the doctor in attendance. Consult a physician. Inhalation may cause anaesthesia.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give Oxygen. If symptoms persist, consult a physician. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth. Drink 1 or 2 glasses of water. Induce vomiting, but only if victim is fully conscious. Consult a physician.

Skin Contact: In case of contact, wash off immediately with soap and plenty of water. Consult a physician.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Remove contact lenses, if present and easy to do. Consult a physician.

5. FIRE-FIGHTING MEASURES

Fire: Not flammable.

Explosion: Not combustible.

Fire Extinguishing Media: Use water spray, Alcohol-resistant foam, dry chemical or Carbon Dioxide.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Avoid breathing vapors, mist or gas. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

Environmental Precautions and Methods and Materials for Containment and Cleaning Up:

Small spillage: Allow to evaporate. Isolate area until gas has dispersed.

Large spillage: Contain and recover liquid when possible. Do not let product enter drains. Collect liquid in an appropriate container or absorb with an inert material (e. g., sand, silica gel, acid binder, universal binder, sawdust) and place in a chemical waste container. Do not flush to sewer!

7. HANDLING AND STORAGE

Precautions for Safe Handling: Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Avoid contact with skin and eyes.

Conditions for Safe Storage, Including Any Incompatibilities: Protect against physical damage. Keep container tightly closed in a dry and well-ventilated location. Keep at temperatures between 15 and 30C (59 and 86F.) Keep out of reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Airborne Exposure Limits:

United States: No OSHA or ACGIH exposure limits have been established. Safe work practices should always be followed.

United Kingdom: STEL: 150 ppm, 1149 mg/m³; TWA: 50 ppm, 383 mg/m³

Spain: VLA-ED: 50 ppm, 383 mg/m³

Netherlands: MAC: 20 ppm, 153 mg/m³

Finland: TWA: 10 ppm, 77 mg/m³; STEL: 20 ppm, 150 mg/m³

Austria: STEL: 20 ppm, 160 mg/m³; MAK: 10 ppm, 80 mg/m³

Switzerland: STEL: 80 ppm, 616 mg/m³; MAK: 10 ppm, 77 mg/m³

Poland: NDS: 32 mg/m³

Norway: TWA: 2 ppm, 15 mg/m³; STEL: 4 ppm, 22.5 mg/m³

Ireland: TWA: 50 ppm, 380 mg/m³

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved): Maintain adequate ventilation. In case of insufficient ventilation, wear a positive-pressure supplied-air respirator.

Skin Protection: Long sleeved clothing. Protective gloves / Nitrile rubber.

Eye Protection: Use chemical safety goggles and / or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Odor: Slight, pungent

Odor Threshold: Not determined

pH: No data available

Melting Point: No data available

Boiling Point / Boiling Range: 48.5C (119F)

Flash Point: Not applicable

Evaporation Rate (BuAC=1): No data available

Flammability: Not flammable

Upper / Lower Flammability or Explosive Limits: Not applicable

Vapor Pressure (mm Hg): 330 mmHg @ 20C (68F)

Vapor Density (Air=1): > 1

Relative Density: 1.5

Solubility: Negligible

Partition Coefficient: n-octanol / water: log Pow: 2.271

Auto-ignition Temperature: Not applicable

Decomposition Temperature: No data available

Viscosity: No data available

10. STABILITY AND REACTIVITY

Reactivity and / or Chemical Stability: Stable under ordinary conditions of use and storage.

Possibility of Hazardous Reactions and Conditions to Avoid: See Incompatible Materials.

Incompatible Materials: Alkali metals, powdered Aluminum, powdered Magnesium, powdered Zinc.

Hazardous Decomposition Products: May emit toxic fumes under fire conditions: Hydrofluoric Acid, Hydrogen Chloride gas, Carbonyl Fluoride.

11. TOXICOLOGICAL INFORMATION

Emergency Overview: Inhalation of high concentrations may cause: anesthesia, hypotension, coma, respiratory difficulties, apnea, seizures.

Potential Health Effects:

Inhalation: Vapors may irritate throat and respiratory system. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and in-coordination.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional affects as listed under "Inhalation."

Skin Contact: May cause irritation.

Eye Contact: Contact with eyes may cause irritation.

Chronic Exposure: No data available.

Aggravation of Pre-existing Conditions: No data available.

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System): Inhalation - May cause drowsiness or dizziness.

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System): Inhalation - May cause damage to organs through prolonged or repeated exposure - Cardio-vascular system, Central nervous system.

Germ Cell Mutagenicity: No data available.

Reproductive Toxicity: No data available.

Aspiration Hazard: No data available.

Numerical Measures of Toxicity: Cancer Lists: NTP Carcinogen

Ingredient	Known	Anticipated	IARC Category
Isoflurane (26675-46-7)	No	No	None

Acute Toxicity:

LD50 / Oral 4770 mg/kg (rat); LC50 / Inhalation (VAPOR) LC50 / inhalation: 15,300 ppm (rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

Persistence and Degradability: No data available.

Bioaccumulative Potential: Bioaccumulation is unlikely.

Mobility in Soil: The product is insoluble and sinks in water. The product evaporates readily.

Results of PBT and vPvB assessment: No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations

may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. TRANSPORT INFORMATION

UN Number: UN3334

UN Proper Shipping Name: Aviation regulated liquid, n.o.s. (1-Chloro-2,2,2-Trifluoroethyl Difluoromethyl Ether)

Land Transport ADR/RID and GGVS/GGVE (Cross Border / Domestic)

Packing Group: III

Transport Hazard Class(es): 9

Maritime Transport IMDG/GGVSea

Not dangerous goods

Marine Pollutant: No

Air Transport ICAO-TI and IATA-DGR

Packing Group: III

Transport Hazard Class(es): 9

Transport in Bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable

Special Precautions for User: No additional information

15. REGULATORY INFORMATION

Chemical Inventory Status – Part 1

Ingredient	TSCA	EC	Japan	Australia
Isoflurane (26675-46-7)	Exempt	Complies	No	No

Chemical Inventory Status – Part 2

Ingredient	Korea	Canada		Phil.
		DSL	NDSL	
Isoflurane (26675-46-7)	No	No	No	No

Federal, State & International Regulations - Part 1

Ingredient	SARA 302		SARA 313	
	RQ	TPQ	List Chemical	Catg.
Isoflurane (26675-46-7)	No	No	No	No

Federal, State & International Regulations - Part 2

Ingredient	RCRA		TSCA
	CERCLA	261.33	8(d)
Isoflurane (26675-46-7)	No	No	No

Chemical Weapons Convention: No	TSCA 12(b): No		CDTA: No
SARA 311/312: Acute: No	Chronic: No	Fire: No	Pressure: No
Reactivity: No	Pure / Liquid		

Poison Schedule: S4

16. OTHER INFORMATION

Effective Date: 01/24/17-updated address

Previous Revisions: 07/09/08 – First Issue: 05/01/14 – Standardized for GHS / REACH

Disclaimer: Halocarbon believes the information given here to be correct. However, we cannot guarantee its accuracy or be responsible for loss or damage that result from the use of such information.